

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 1/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

Safety Data Sheet

Complies with Annex II of REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Code:	0030142
Name	STRIPRESIL
Chemical name and synonyms	STRIP RESIL
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Sector of use	SU22 – Professional uses SU21- Consumer uses
Product category	PC35 – Washing and cleaning products (including solvent-based products)
Description/Usage	Alkaline wax remover for resilient floors
1.3. Information about the supplier of the safety data sheet	
Business name	MARBEC SRL
Address	VIA CROCE ROSSA 5/i
Locality and State	51037 MONTALE (PISTOIA) ITALY
	tel. +039 0573/959848
	fax
e-mail of the competent person, responsible for the safety data sheet	info@marbec.it

1.4. Emergency telephone number
For urgent information please contact
MARBEC srl
+390573959848 8.30am-1pm 2pm-6pm or +393348578502
Telephone number of Poison Control Centers active 24 hours a day
IRCSS Maugeri Foundation –
Pavia 0039-0382-24444
CAV Ospedali Riuniti –
Bergamo 0039-800-883300
CAV Niguarda Ca` Granda Hospital –
Milan 0039-02-66101029
CAV Careggi Hospital - Florence 0039-055-7947819
CAV Gemelli Polyclinic –
Rome 0039-06-3054343
CAV Policlinico Umberto I –
Rome 0039-06 49978000
CAV Cardarelli Hospital –
Naples 0039-081 5453333
CAV Verona Integrated Hospital Company - Verona 800011858

SECTION 2. Hazard Identification

2.1. Substance or mixture classification

The product is classified as dangerous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments). The product therefore requires a safety data sheet compliant with the provisions of Regulation (EU) 2020/878. Any additional information regarding risks to health and/or the environment is reported in the sections. 11 and 12 of this sheet.

Hazard classification and indications:

Serious eye damage, category 1

H318

Causes serious eye damage.

Skin irritation, category 2

H315

Causes skin irritation.

2.2. Label elements

Hazard labeling pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments and adjustments.

Hazard pictograms:



Warnings:

Danger

Hazard Statements:

H318

Causes serious eye damage.

H315

Causes skin irritation.

Precautionary advice:

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P280

Wear protective gloves / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor / . . .

Contains:

2-PHENOXYETHANOL

Ingredients compliant with Regulation (EC) No. 648/2004

Contains: anionic surfactants 5%< C < 15%, non-ionic surfactants <5% .

2.3. Other dangers

Based on available data, the product does not contain PBT or vPvB substances in percentages $\geq 0.1\%$.

The product does not contain substances with properties that interfere with the endocrine system in concentrations $\geq 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 3/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
2-PHENOXYETHANOL CAS 122-99-6 CE 204-589-7 INDEX 603-098-00-9 REACH Reg. 01-2119488943-21-xxxx	$9 \leq x < 20$	Acute Tox. 4 H302, Eye Dam. 1 H318, STOT SE 3 H335 LD50 Oral: 1394 mg/kg
2-BUTHOXYETHANOL CAS 111-76-2 CE 203-905-0 INDEX 603-014-00-0 REACH Reg. 01-2119475108-36-0005	$3 \leq x < 9$	Acute Tox. 3 H331, Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315 ATE: LD50 Oral: >1200 mg/kg, LC50 Inhalation vapors: 3 mg/l/4h
sodium cumene sulfonate CAS 28348-53-0 CE 248-983-7 INDEX - REACH Reg. 01-2119489411-37-0001	$3 \leq x < 9$	Eye Irrit. 2 H319
3-BUTOXY-2-PROPANOL CAS 5131-66-8 CE 225-878-4 INDEX 603-052-00-8 REACH Reg 01-2119475527-28-xxxx	$3 \leq x < 9$	Flam. Liq. 3 H226, Eye Irrit. 2 H319, Skin Irrit. 2 H315
Alcohols, branched C12-15 and linear, ethoxylated propoxylated CAS 120313-48-6 THERE IS INDEX - REACH Reg. (REF.:N° 02-2119548508-30-0000	$1 \leq x < 3$	Eye Irrit. 2 H319, Skin Irrit. 2 H315
TRETASODIO N,N-BIS(CARBOXYLATOMETHYL)-L-GLUTAMATE CAS 51981-21-6 CE 257-573-7 INDEX - REACH Reg. 01-2119493601-38	$1 \leq x < 3$	
ETHANOLAMINE CAS 141-43-5	$0.5 \leq x < 1$	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335

MARBEC SRL	Revision no. 8
0030142 - STRIPRESIL	Revision date 08/30/2023
	Printed on 08/30/2023
	Page no. 4/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

CE 205-483-3

INDEX 603-030-00-8

REACH Reg. 01-2119486455-28

STOT SE 3 H335: ≥ 5%

LD50 Oral: 1515 mg/kg, ATE Dermal: 1100 mg/kg, ATE Vapor inhalation: 11 mg/l

The complete text of the hazard indications (H) is shown in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove any contact lenses. Wash immediately and abundantly with water for at least 15 minutes, opening the eyelids wide. Consult a doctor if the problem persists.

SKIN: Take off contaminated clothing. Shower immediately. Wash the contaminated garments before reusing them.

INHALATION: Move the subject to fresh air. If breathing stops, give artificial respiration. Call a doctor immediately.

INGESTION: Call a doctor immediately. Do not induce vomiting. Do not administer anything that is not expressly authorized by your doctor.

4.2. Main symptoms and effects, both acute and delayed

There is no specific information on the symptoms and effects caused by the product.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Fire fighting measures

5.1. Fire fighting

SUITABLE EXTINGUISHING MEANS

Choose the most appropriate extinguishing media for the specific situation.

UNSUITABLE EXTINGUISHING MEANS

No one in particular.

5.2. Special hazards arising from the substance or mixture

DANGERS DUE TO EXPOSURE IN THE EVENT OF FIRE

The product is not flammable or combustible.

5.3. Recommendations for fire fighters

EQUIPMENT

Normal fire-fighting clothing, such as an open circuit compressed air breathing apparatus (EN 137), flame retardant suit (EN469), flame retardant gloves (EN 659) and fire fighter boots (HO A29 or A30).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 5/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

Stop the leak if there is no danger.
Wear appropriate protective equipment (including personal protective equipment referred to in section 8 of the safety data sheet) to prevent contamination of skin, eyes and personal clothing. These indications are valid both for workers and for emergency interventions.

6.2. Environmental precautions

Prevent the product from entering sewers, surface waters and groundwater.

6.3. Methods and materials for containment and cleanup

Suck up the spilled product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking section 10. Absorb the remainder with inert absorbent material.
Provide sufficient ventilation of the area affected by the leak. Disposal of contaminated material must be carried out in accordance with the provisions of point 13.

6.4. Reference to other sections

Any information regarding personal protection and disposal is reported in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for Safe Handling

Keep away from heat, sparks and open flames, do not smoke or use matches or lighters. Without adequate ventilation, vapors can accumulate on the ground and ignite even remotely, if triggered, with the risk of backfire. Avoid the accumulation of electrostatic charges. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas. Avoid dispersing the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool, well-ventilated place, away from heat sources, open flames, sparks and other sources of ignition. Store containers away from any incompatible materials, checking section 10.

Storage class TRGS 510 (Germany):
12

7.3. Specific end uses

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Normative requirements:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
EXP	Spain	Professional exposure limits for chemical agents in Spain 2021
BETWEEN	France	Value limits of professional exposure to chemical agents in France. ED 984 - INRS
ITA	Italy	Legislative Decree 9 April 2008, n.81
PRT	Portugal	Decree-Lei n.º 1/2021 of 6 January, indicative professional exposure limit values for chemical agents. Legislative Decree no. 35/2020 of 13 July, protection of workers against risks linked to exposure during work with cancerous or mutagenic agents
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2021

2-PHENOXYETHANOL								
Threshold limit value								
Guy	State	TWA/8h		STEL/15min		Notes / Observations		
		mg/m3	ppm	mg/m3	ppm			
AGW	DEU	5.7	1	5.7 (C)	1 (C)			
MAK	DEU	5.7	1	5.7	1			
Predicted no-effect concentration on the environment - PNEC								
Reference value in fresh water				0.943	mg/l			
Reference value in sea water				0.0943	mg/l			
Reference value for sediments in fresh water				7,237	mg/kg			
Reference value for sediments in sea water				0.7237	mg/kg			
Reference value for STP microorganisms				24.8	mg/l			
Reference value for the terrestrial compartment				1.26	mg/kg			
Health - Derived No Effect Level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Exhibition Street	Acute rooms	Acute systemic	Chronic premises	Chronic systemic	Acute rooms	Acute systemic	Chronic premises	Chronic systemic
Oral		9.23 mg/kg/d		9.23 mg/kg/d				
Inhalation				2.41 mg/m3		8.07 mg/m3		8.07 mg/m3
Dermal				10.42 mg/kg/d				20.83 mg/kg/d
2-BUTHOXYETHANOL								
Threshold limit value								
Guy	State	TWA/8h		STEL/15min		Notes / Observations		
		mg/m3	ppm	mg/m3	ppm			
AGW	DEU	49	10	98 (C)	20 (C)	SKIN		
MAK	DEU	49	10	98	20	SKIN		Hinweis
VLA	EXP	98	20	245	50	SKIN		
VLEP	BETWEEN	49	10	246	50	SKIN		
VLEP	ITA	98	20	246	50	SKIN		
VLE	PRT	98	20	246	50	SKIN		
WEL	GBR	123	25	246	50	SKIN		
OEL	EU	98	20	246	50	SKIN		
TLV-ACGIH		97	20					
Predicted no-effect concentration on the environment - PNEC								
Reference value in fresh water				8.8	mg/l			
Reference value in sea water				0.88	mg/l			
Reference value for sediments in fresh water				34.6	mg/kg			
Reference value for sediments in sea water				3.46	mg/kg			
Reference value for water, intermittent release				9.1	mg/l			
Reference value for STP microorganisms				463	mg/l			
Reference value for the food chain (secondary poisoning)				20	mg/kg			
Reference value for the terrestrial compartment				2.33	mg/kg			

<div> <div>MARBEC SRL</div> <div>0030142 - STRIPRESIL</div> </div>	<div>Revision no. 8</div> <div>Revision date 08/30/2023</div>
	<div>Printed on 08/30/2023</div> <div>Page no. 7/ 21</div> <div>Replaces revision:7 (Revision date: 01/16/2023)</div>

Health - Derived No Effect Level - DNEL / DMEL								
	Effects on consumers			Effects on workers				
Exhibition Street	Acute rooms	Acute systemic	Chronic premises	Chronic systemic	Acute rooms	Acute systemic	Chronic premises	Chronic systemic
Oral		26.7 mg/kg bw/d		6.3 mg/kg bw/d				
Inhalation	147 mg/m3	426 mg/m3		59 mg/m3	246 mg/m3	1091 mg/m3		98 mg/m3
Dermal				38 mg/kg bw/d				

sodium cumene sulfonate

Predicted no-effect concentration on the environment - PNEC		
Reference value in fresh water	0.23	mg/l
Reference value for water, intermittent release	2,3	mg/l
Reference value for STP microorganisms	100	mg/l

Health - Derived No Effect Level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Exhibition Street	Acute rooms	Acute systemic	Chronic premises	Chronic systemic	Acute rooms	Acute systemic	Chronic premises	Chronic systemic
Oral				3.8 mg/kg bw/d				
Inhalation				13.2 mg/m3				53.6 mg/m3
Dermal				3.8 mg/kg bw/d				7.6 mg/kg bw/d

3-BUTOXY-2-PROPANOL

Predicted no-effect concentration on the environment - PNEC		
Reference value in fresh water	0.525	mg/l
Reference value in sea water	0.0525	mg/l
Reference value for sediments in fresh water	2.36	mg/kg
Reference value for sediments in sea water	0.236	mg/kg
Reference value for water, intermittent release	5.25	mg/l
Reference value for STP microorganisms	10	mg/l
Reference value for the terrestrial compartment	0.16	mg/kg

Health - Derived No Effect Level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Exhibition Street	Acute rooms	Acute systemic	Chronic premises	Chronic systemic	Acute rooms	Acute systemic	Chronic premises	Chronic systemic
Oral				8.75 mg/kg bw/d				
Inhalation				33.8 mg/m3				270.5 mg/m3
Dermal				16 mg/kg bw/d				44 mg/kg bw/d

TRETASODIO N,N-BIS(CARBOXYLATOMETHYL)-L-GLUTAMATE

Predicted no-effect concentration on the environment - PNEC		
Reference value in fresh water	2	mg/l
Reference value in sea water	0.2	mg/l
Reference value for water, intermittent release	1	mg/l
Reference value for STP microorganisms	41.2	mg/l
Reference value for the food chain (secondary poisoning)	67	mg/kg

Health - Derived No Effect Level - DNEL / DMEL

Exhibition Street	Effects on consumers				Effects on workers			
	Acute rooms	Acute systemic	Chronic premises	Chronic systemic	Acute rooms	Acute systemic	Chronic premises	Chronic systemic
Oral				1.5 mg/kg/d				
Inhalation				1.8 mg/m3	55 mg/m3	55 mg/m3		7.3 mg/m3
Dermal			VND	7500 mg/kg/d			VND	15000 mg/kg/d

ETHANOLAMINE						
Threshold limit value						
Guy	State	TWA/8h		STEL/15min		Notes / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	0.5	0.2	0.5	0.2	SKIN
MAK	DEU	0.51	0.2	0.51	0.2	
VLA	EXP	2.5	1	7.5	3	SKIN
VLEP	BETWEEN	2.5	1	7.6	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
VLE	PRT	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	
Predicted no-effect concentration on the environment - PNEC						
Reference value in fresh water				0.085	mg/l	
Reference value in sea water				0.0085	mg/l	
Reference value for sediments in fresh water				0.425	mg/kg	
Reference value for sediments in sea water				0.0425	mg/kg	
Reference value for water, intermittent release				0.025	mg/l	
Reference value for STP microorganisms				100	mg/l	
Reference value for the terrestrial compartment				0.035	mg/kg	

Health - Derived No Effect Level - DNEL / DMEL								
Exhibition Street	Effects on consumers				Effects on workers			
	Acute rooms	Acute systemic	Chronic premises	Chronic systemic	Acute rooms	Acute systemic	Chronic premises	Chronic systemic
Oral				3.75 mg/kg/d				
Inhalation			2 mg/m3				3.3 mg/m3	
Dermal				0.24 mg/kg/d				1 mg/kg/d

Legend:

(C) = CEILING ; INALAB = Inhalable Fraction; RESPIR = Respirable Fraction; TORAC = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no expected exposure; NPI = no hazard identified.

8.2. Exposure controls

Considering that the use of adequate technical measures should always take priority over personal protective equipment, ensure good ventilation in the workplace through effective local extraction.

When choosing personal protective equipment, ask your chemical suppliers for advice if necessary.

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 9/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

Personal protective equipment must bear the CE marking which certifies their compliance with current regulations.

Provide emergency shower with eyecup.

HAND PROTECTION

Protect your hands with category III work gloves (ref. standard EN 374).
For the final choice of work glove material, the following must be considered: compatibility, degradation, breaking time and permeation.
In the case of preparations, the resistance of work gloves to chemical agents must be checked before use as it is unpredictable. The gloves have a wear time that depends on the duration and method of use.

SKIN PROTECTION

Wear work clothes with long sleeves and safety footwear for professional category II use (ref. Regulation 2016/425 and standard EN ISO 20344). Wash with soap and water after removing protective clothing.

EYE PROTECTION

We recommend wearing airtight protective glasses (ref. standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) of the substance or one or more of the substances present in the product is exceeded, it is recommended to wear a mask with an ABEK-P1 type filter whose class (1, 2 or 3) must be chosen in relation to the limit concentration of use. (ref. standard EN 14387). If gases or vapors of a different nature and/or gases or vapors with particles (aerosols, fumes, mists, etc.) are present, combined filters must be provided.
The use of respiratory protection means is necessary if the technical measures adopted are not sufficient to limit the worker's exposure to the threshold values taken into consideration. However, the protection offered by masks is limited.
In the event that the substance considered is odorless or its olfactory threshold is higher than the relevant TLV-TWA and in case of emergency, wear an open-circuit compressed air breathing apparatus (ref. standard EN 137) or a self-contained breathing apparatus external air (ref. EN 138 standard). For the correct choice of respiratory protection device, refer to the EN 529 standard.

ENVIRONMENTAL EXPOSURE CONTROLS

Emissions from production processes, including those from ventilation equipment, should be controlled for compliance with environmental protection legislation.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Information
Physical State	liquid	
Color	straw yellow	
Odor	characteristic	
Melting or freezing point	Not available	
Initial boiling point	Not available	
Flammability	incombustible	
Lower explosive limit	Not applicable	
Upper explosive limit	Not applicable	
Flash point	> 60 °C	
Auto-ignition temperature	Not available	
pH	11	
Kinematic viscosity	Not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	Not available	
Vapor pressure	Not available	
Density and/or Relative density	1.02 kg/l	

Relative vapor density	Not available
Characteristics of the particles	Not applicable

9.2. More information

9.2.1. Information regarding physical hazard classes

Information not available

9.2.2. Other safety features

VOC (Directive 2010/75/EU)	24.90 % - 253.98 g/litre
VOC (volatile carbon)	15.74% - 160.57 g/litre
Explosive properties	not explosive
Oxidizing properties	non-oxidizing

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular dangers of reaction with other substances under normal conditions of use.

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of dangerous reactions

Vapors can form explosive mixtures with air.

2-BUTHOXYETHANOL

May react dangerously with: aluminium, oxidising agents. Forms peroxides with: air.

10.4. Conditions to avoid

2-BUTHOXYETHANOL

Avoid exposure to: heat sources, open flames.

10.5. Incompatible materials

2-PHENOXYETHANOL

Incompatible with: strong oxidants.

10.6. Hazardous decomposition products

Due to thermal decomposition or in the event of fire, gases and vapors potentially harmful to health can be released.

2-BUTHOXYETHANOL

Can develop: hydrogen.

ETHANOLAMINE

May develop: nitrogen oxides, carbon oxides.

SECTION 11. Toxicological information

11.1. Information on the hazard classes defined in Regulation (EC) no. 1272/2008

Metabolism, kinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Immediate, delayed and chronic effects resulting from short- and long-term exposures

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no relevant component)

2-PHENOXYETHANOL

LD50 (Oral):	1394 mg/kg
--------------	------------

2-BUTHOXYETHANOL

LD50 (Dermal):	> 2000 mg/kg Guinea pig (OECD - guideline 402)
LD50 (Oral):	> 1200 mg/kg Guinea pig
LC50 (Vapour inhalation):	3 mg/l/4h Rat

sodium cumene sulfonate

LD50 (Dermal): > 2000 mg/kg
LD50 (Oral): > 7000 mg/kg

3-BUTOXY-2-PROPANOL

LD50 (Dermal): > 2000 mg/kg Rat
LD50 (Oral): 3300 mg/kg Rat

Alcohols, branched C12-15 and linear, ethoxylated propoxylated

LD50 (Oral): > 2000 mg/kg rat

TRETASODIO N,N-BIS(CARBOXYLATOMETHYL)-L-GLUTAMATE

LD50 (Dermal): > 2000 mg/kg OECD 402
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation of mists/dusts): > 4.2 mg/l/4h OECD 403

ETHANOLAMINE

LD50 (Dermal): 2504 mg/kg rat
STA (Cutaneous): 1100 mg/kg estimated from table 3.1.2 of Annex I of CLP
(data used to calculate the estimate of the acute toxicity of the mixture)
LD50 (Oral): 1515 mg/kg rat
LC50 (Vapour inhalation): 1.48 mg/l/4h rat

SKIN CORROSION / SKIN IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / EYE IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITIZATION

It does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

MUTAGENICITY ON GERM CELLS

It does not meet the classification criteria for this hazard class

CARCINOGENICITY

It does not meet the classification criteria for this hazard class

REPRODUCTION TOXICITY

It does not meet the classification criteria for this hazard class

Harmful effects on sexual function and fertility

Information not available

Harmful effects on the development of offspring

Information not available

Effects on or through breastfeeding

Information not available

SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE

It does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE

It does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

DANGER IN CASE OF ASPIRATION

It does not meet the classification criteria for this hazard class

11.2. Information about other hazards

Based on available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with effects on human health being evaluated.

SECTION 12. Ecological information

12.1. Toxicity

2-BUTHOXYETHANOL

Aquatic toxicity assessment (supplier): the product is most likely not harmful to aquatic organisms. There is a high probability that the product is not chronically harmful to aquatic organisms. The correct introduction of low concentrations into a biological purification plant should not compromise the degradation activity of the activated sludge. Terrestrial Toxicity Assessment (Supplier): Study scientifically not justified.

2-PHENOXYETHANOL

LC50 - Pisces	> 100 mg/l/96h Pimephales promelas (flow)
EC50 - Crustaceans	> 100 mg/l/48h daphnia magna
EC50 - Algae / Aquatic Plants	> 100 mg/l/72h scenedesmus subspicatus (DIN 38412 part 9, static)

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 15/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

Chronic NOEC Fish	> 1 mg/l Pimephases promelas (OECD - draft guideline, Flow
Chronic NOEC Crustaceans	> 1 mg/l daphnia magna (OECD - guideline 211, semi-static)
2-BUTHOXYETHANOL	
LC50 - Pisces	1474 mg/l/96h oncorhynchus mykiss
EC50 - Crustaceans	1550 mg/l/48h daphnia magna
EC50 - Algae / Aquatic Plants	1840 mg/l/72h pseudokirchneriella subcapitata
Chronic NOEC Fish	> 100 mg/l brachydanio rerio
Chronic NOEC Crustaceans	100 mg/l daphnia magna
ETHANOLAMINE	
LC50 - Pisces	349 mg/l/96h cyprinus carpio
EC50 - Crustaceans	65 mg/l/48h daphnia magna
EC50 - Algae / Aquatic Plants	2.5 mg/l/72h pseudokirchneriella subcapitata
sodium cumene sulfonate	
LC50 - Pisces	> 1000 mg/l/96h
EC50 - Crustaceans	> 1000 mg/l/48h
EC50 - Algae / Aquatic Plants	310 mg/l/72h
Alcohols, branched C12-15 and linear, ethoxylated propoxylated	
LC50 - Pisces	5 mg/l/96h
TRETASODIO N,N-BIS(CARBOXYLATOMETHYL)-L-GLUTAMATE	
LC50 - Pisces	> 100 mg/l/96h oncorhynchus mykiss
EC50 - Crustaceans	> 100 mg/l/48h daphnia magna
EC50 - Algae / Aquatic Plants	> 100 mg/l/72h demsodemus supspicatus, OECD 201
Chronic NOEC Algae / Aquatic Plants	> 100 mg/l OECD 201

12.2. Persistence and degradability

2-PHENOXYETHANOL	
Solubility in water	28600 mg/l
Rapidly degradable	
3-BUTOXY-2-PROPANOL	
Solubility in water	52000 mg/l
Rapidly degradable	
2-BUTHOXYETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
ETHANOLAMINE	

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

sodium cumene sulfonate

Rapidly degradable

Alcohols, branched C12-15 and linear,
ethoxylated propoxylated
Rapidly degradable

TRETASODIO N,N-
BIS(CARBOXYLATOMETHYL)-L-
GLUTAMATE
Rapidly degradable

12.3. Bioaccumulative potential

2-PHENOXYETHANOL

Partition coefficient: n-octanol/water 1,2
BCF 0.3493

3-BUTOXY-2-PROPANOL

Partition coefficient: n-octanol/water 1,2

2-BUTHOXYETHANOL

Partition coefficient: n-octanol/water 0.81
BCF 3.16 (calculated QSAR value). This substance is not expected to
bioaccumulate

ETHANOLAMINE

Partition coefficient: n-octanol/water -2.3

sodium cumene sulfonate

Partition coefficient: n-octanol/water 1.1 Log Kow

12.4. Mobility in soil

2-BUTHOXYETHANOL

Transport evaluation between environmental departments (supplier): the substance does not evaporate into the atmosphere from the water surface. Absorption to the solid phase of the soil is not predictable. Scientifically unjustified study. Stability in water: immediate hydrolysis is not expected; contains no functional groups which are believed to be hydrolysable in water. Stability in soil: expected low adsorption into soil particles.

2-PHENOXYETHANOL

Partition coefficient: soil/water 1.6

ETHANOLAMINE

Partition coefficient: soil/water -0.5646

12.5. Results of PBT and vPvB assessment

Based on available data, the product does not contain PBT or vPvB substances in percentages $\geq 0.1\%$.

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 17/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

12.6. Endocrine disrupting properties

Based on available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with effects on the environment being evaluated.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal Considerations

13.1. Waste treatment methods

Reuse if possible. Product residues are to be considered hazardous special waste. The dangerousness of waste that partly contains this product must be assessed based on current legislative provisions.
Disposal must be entrusted to a company authorized to manage waste, in compliance with national and possibly local regulations.

CONTAMINATED PACKAGING
Contaminated packaging must be sent for recovery or disposal in compliance with national waste management regulations.

SECTION 14. Transportation Information

The product is not to be considered dangerous pursuant to the provisions in force regarding the transport of dangerous goods by road (ADR), by rail (RID), by sea (IMDG Code) and by air (IATA).

14.1. UN number or ID number

Not applicable

14.2. Official UN shipping name

Not applicable

14.3. Transport hazard classes

Not applicable

14.4. Packing group

Not applicable

14.5. Dangers for the environment

Not applicable

14.6. Special precautions for users

Not applicable

14.7. Maritime transport in bulk in accordance with IMO acts

Information not relevant

SECTION 15. Regulatory information

15.1. Health, safety and environmental laws and regulations specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or substances contained according to Annex XVII Regulation (EC) 1907/2006

Product

Point 3 - 40

Substances contained

Point 75

Regulation (EU) 2019/1148 - relating to the placing on the market and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

Based on available data, the product does not contain SVHC substances in percentages $\geq 0.1\%$.

Substances subject to authorization (Annex XIV REACH)

None

Substances subject to export notification requirements Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Sanitary checks

Workers exposed to this chemical agent dangerous to health must be subjected to health surveillance carried out in accordance with the provisions of the art. 41 of Legislative Decree 81 of 9 April 2008 unless the risk to the safety and health of the worker has been assessed as irrelevant, in accordance with the provisions of art. 224 paragraph 2.

15.2. Chemical safety assessment

A chemical safety assessment has been developed for the following substances contained in the mixture:
2-Phenoxyethanol, 2-Butoxyethanol, Sodium cumenesulphonate, 3-Butoxy-2-propanol.

SECTION 16. Other information

Text of the hazard statements (H) mentioned in sections 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT IF 3	Specific target organ toxicity - single exposure, category 3
H226	Flammable liquid and vapour.
H331	Toxic if inhaled.
H302	Harmful if ingested.
H312	Harmful in contact with skin.
H314	It causes serious skin burns and serious eye injuries.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May irritate the respiratory tract.

LEGEND:

- ADR: European Agreement for the transport of dangerous goods by road
- CAS: Chemical Abstract Service Number
- CE: Identification number in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived no-effect level
- EC50: Concentration that gives effect to 50% of the population subject to testing
- EmS: Emergency Schedule
- GHS: Globally Harmonized System for the Classification and Labeling of Chemical Products
- IATA DGR: Regulations for the transport of dangerous goods of the International Air Transport Association
- IC50: Immobilization concentration of 50% of the population subject to testing

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 20/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

- IMDG: International Maritime Code for the Transport of Dangerous Goods
- IMO: International Maritime Organization
- INDEX: Identification number in Annex VI of CLP
- LC50: Lethal concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational exposure level
- PBT: Persistent, bioaccumulating and toxic according to REACH
- PEC: Predictable environmental concentration
- PEL: Predictable level of exposure
- PNEC: Predictable no-effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulations for the international transport of dangerous goods by train
- STA: Acute Toxicity Estimate
- TLV: Threshold limit value
- TLV CEILING: Concentration that must not be exceeded during any moment of occupational exposure.
- TWA: Weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic compound
- vPvB: Very persistent and very bioaccumulating according to REACH
- WGK: Aquatic hazard class (Germany).

GENERAL BIBLIOGRAPHY:

1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
2. Regulation (EC) 1272/2008 of the European Parliament (CLP)
3. Regulation (EU) 2020/878 (Annex II of the REACH Regulation)
4. Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)
5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)
7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)
8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)
11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (EU) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (EU) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (EU) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (EU) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (EU) 2021/849 (XVII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- NI Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA Agency website
- Database of SDS models of chemical substances - Ministry of Health and Istituto Superiore di Sanità

Note for the user:

The information contained in this sheet is based on the knowledge available to us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product.

This document should not be interpreted as a guarantee of any specific property of the product.

Since the use of the product does not fall under our direct control, it is the user's obligation to observe the laws and regulations in force regarding hygiene and safety under his own responsibility. We do not assume responsibility for improper use.

Provide adequate training to personnel assigned to the use of chemical products.

CLASSIFICATION CALCULATION METHODS

Chemical-physical hazards: The classification of the product was derived from the criteria established by the CLP Regulation Annex I Part 2. The methods of evaluation of the chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on the calculation methods in Annex I of CLP Part 3, unless otherwise indicated in section 11.

MARBEC SRL	Revision no. 8
	Revision date 08/30/2023
0030142 - STRIPRESIL	Printed on 08/30/2023
	Page no. 21/ 21
	Replaces revision:7 (Revision date: 01/16/2023)

Environmental hazards: The classification of the product is based on the calculation methods set out in Annex I of CLP Part 4, unless otherwise indicated in section 12.

Changes compared to the previous revision
Changes have been made to the following sections:
03/11/16.