

# **AGRUMOIL**

# **DEGREASING THINNER FOR WOOD**



### User guide

#### **DESCRIPTION:**

Blend of solvents, aliphatic hydrocarbons, and d-Limonene.

#### FIELDS OF APPLICATION:

Specific for cleaning all wooden surfaces.

#### **CHARACTERISTICS:**

AGRUMOIL is a product for the extraordinary cleaning of all wooden surfaces.

#### **AGRUMOIL:**

- cleans oiled or rough wooden surfaces dirty with grease or soot;
- removes surface resin from wooden surfaces;
- is indicated for the extraordinary maintenance and recovery of floors treated with highly deteriorated oilwax-impregnating agents;
- does not leave halos and does not stain the wood essence.

# **INSTRUCTIONS FOR USE:**

- AGRUMOIL as a diluent can be used in all concentrations;
- Spread AGRUMOIL on the surface and leave it to act for a few minutes;
- Rub the surface with a single brush equipped with a red disc or manually with a red buffer;
- Remove and collect residues;
- Clean the surface with a clean rag moistened with AGRUMOIL.

#### PRECAUTIONS:

- Protect all painted surfaces from contact with AGRUMOIL;
- AGRUMOIL on decorated wooden structures can have an unwanted solvent action on the colors of the decoration. Therefore, in these cases, it is advisable to carry out small preliminary tests.

#### NOTES:

Our indications are based on current research knowledge and are intended to give the best indications to the buyer-user. However, these indications require preliminary examinations and tests for the fields of use, the types of materials present, and the various application conditions. The user decides independently on the suitability and field of use. MARBEC SrI assumes no responsibility for the incorrect use of its products. Rev5-Ver210222

#### **WARNINGS:**









#### WARNINGS: DANGER

Hazard statements: Flammable liquid and vapor. – It can be fatal if swallowed and if it enters the respiratory tract. – May cause an allergic skin reaction. – May cause drowsiness or dizziness. – Toxic to aquatic life with long-lasting effects. – Repeated exposure may cause skin dryness and cracking.

Precautionary statements: Keep away from heat sources, hot surfaces, sparks, open flames, or other sources of ignition. Do not smoke. – Avoid breathing dust/fumes/gas/mist/vapors/aerosols. – Do not disperse in the environment. – Wear protective gloves/clothing and protect eyes/face. – If you feel unwell, call a POISON CENTER/doctor. – DO NOT induce vomiting. – Collect the escaped material.

Contains: hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics <2% aromatics, d-Limonene.

UFI: S740-R0AJ-200T-2VCU

Rev5-Ver210222

#### **PACKAGING:**

- 1 It pack. Can box of 6 pieces;
- 5 lt pack. Can box of 4 pieces.

#### YIELD:

• Depending on the consistency of the dirt to be removed or the desired degree of dilution.

# TECHNICAL DATA:

- · Physical state: colorless liquid
- Specific gravity (g/cm3) at 20°C: 0.783
- pH: n.a.
- Flashpoint (ASTM): 23 ? T ? 60 °C
- Solubility in water: insoluble

# STORAGE:

Keep the product tightly closed and at a temperature between 5 and 30°C in an airy place, away from heat sources and not exposed to sunlight for a long time. If stored at low temperatures (<10°C) the product may become dense, but without compromising use or performance. The product stored in this way has a useful life of 5 years.